



MATHARU

Industries Pvt Ltd. (INDIA)

MULTI SPEED

GEAR DRIVE

Roto Seed Drill



Model:- MR-

MATHARU

Roto Seed Drill

Introduction: -

This machine is specially designed for sowing directly after harvesting of paddy or any crop and side by side crushing & mixing the stubble of paddy or any crop in the soil. This Roto Seed Drill has 2 boxes on its top for seed & fertilizer. So we can say that agricultural implement is all in one as it cultivates the land, prepare it for sowing and then sows and give fertilizer for growth of seeds. This is the specialty of this implement.

Benefits of Matharu Rotavator: -

- *It prepares the field for seeding in first go only.*
- *Its gear makes it more robust and powerful than conventional chain rotavators.*
- *Saves more time and Prevents the tractor from wear and tear*
- *More fuel efficient and preserves the moisture in the soil.*
- *Performs well in every type of soils wether wet or dry*
- *Mixes the remains of the previous harvest in the soil, which fertilizes the farm.*
- *It is very helpful in Sugarcane, Banana, Vegetables and Rice farms.*



Model:- MR-

MATHARU

Roto Seed Drill



Special features: -

- *Specially Designed Tapered Blades made of High Quality Steel.*
- *Gear helps it to work Smoothly & Efficiently.*
- *Export Quality Heavy Duty Gear Box.*
- *Nuts & Bolts made of High Tensile Steel.*
- *Every part made with Computerized CNC machines.*
- *Saves more time and prevents the tractor from wear and tear.*
- *Export Quality Heavy Duty Gear Box.*
- *High Tensile Nut Bolts Used.*
- *Adjustable Trailing Board.*
- *Side Disk available as Optional.*
- *PTO Shaft .*
- *High Quality blades for Longer Life.*

MATHARU

Roto Seed Drill

Model by Size	6 Feet	7 Feet	8 Feet
Width			
Height			
Length			
Working Width	1.88 mtr.	2.11 mtr.	2.34 mtr.
Working Depth	6"	6"	7"
HP Required	40-55	45-60	55-65
Number of Flanges	Eight	Nine	Ten
Number of Blades	48	54	60
PTO Speed (RPM)	540	540	540
Rotor Speed	270	270	270
Weight			

Note: Technical Specification may change/update without any prior notice.

Thanks for your efforts



MATHARU INDUSTRIES Pvt. Ltd.

Ferozepur Road, FARIDKOT- 151203, Punjab, INDIA

Phone. +91 93577 50577, +91 93577 50576

Email: info@matharugroup.com

www.matharugroup.com

- ❖ The manufacturer reserves the right to make change and/or improvements in specification without prior notice.
- ❖ *Performance figures are approximate and for general guidance only. Guidance is based on drying principles, computer simulations and field results.
- ❖ Factors including crop type, crop condition, excessive admixture and weather conditions may affect the performance.